


0

LAFR 8



IAIR & S

PAUL H. REINCKE CHIEF

January 10, 1986

Mr. Arnold Jablon Zoning Commissioner Office of Planning and Zoning Baltimore County Office Building Towson, Maryland 21204

Attention: Nick Commodari, Chairman Zoning Plans Advisory Committee

RE: Property Owner: W. Andrew Simantel, et ux

SS Maidbrook Road, 505' W of centerline of Northwind Road Location:

Item No.:

238

Zoning Agenda: Meeting of 12/31/85

Gentlemen:

Pursuant to your request, the referenced property has been surveyed by this Bureau and the comments below marked with an "X" are applicable and required to be corrected or incorporated into the final plans for the property.

- () 1. Fire hydrants for the referenced property are required and shall be located at intervals or _____fuet along an approved road in accordance with Baltimore County Standards as published by the Department of Public Works.
- () 2. A second means of vehicle access is required for the site.
- () 3. The vehicle dead end condition shown at ___

EXCEEDS the maximum allowed by the Fire Department.

- () 4. The site shall be made to comply with all applicable parts of the Fire Prevention Code prior to occupancy or beginning of operation.
- (X) 5. The buildings and structures existing or proposed on the site shall comply with all applicable requirements of the National Fire Protection Association Standard No. 101 "Life Safety Code", 1976 edition prior to occupancy.
 - () 6. Site plans are approved, as drawn.

7. The Fire Prevention Bureau has no comments, fig this time.

REVIEWER: Capt Quel Lel 1-10-56 Approved:

Special Inspection Division

. Fire Prevention Bureau

BALTIMORE COUNTY
DEPARTMENT OF PERMITS & LICENSES TOWSON, MARYLAND 21204 494-3610

February 7, 1986

TED ZALESKI, JR.

* Arnold Jablon, Zoning Commissioner Orrice of Planning and Zoning

Comments on Item # 238 Zoning Advisory Committee Meeting are as follows:

W. Andrew Simantel, et ux

S side of Maidbrook Read, 505' W of c/l of Northwind Road District:

All structures shall comform to the Baltimore County Building Code as adopted by Council Bill #17-85, the Maryland Code for the Handicapped and Aged (A.N.S.I. #117-1 - 1980) and other applicable Codes and Standards.

- B. A building and other miscellaneous permits shall be required before the start of any construction.
- C. Residentials Two sets of construction drawings are required to file a permit application. The seal of a registered in Maryland Architect or Engine or 1s/is not required on plans and technical data.
- Commercial: Three sets of construction drawings sealed and signed by a registered in Maryland Architect
 or Engineer shall be required to file with a permit application. Reproduced seals are not acceptable.
- E. All Use Groups except R-4 Singly Family Detached Dwellings require a minimum of 1 hour fire rating for exterior walls closer than 6'-1 to an interior lot line. R-4 Use Groups require a one hour wall if closer than 3'-0 to an interior lot line. Any wall built on an interior lot line shall require a fire or party wall. See Table 401, Section 1407, Section 1406.2 and Table 1402. No openings are permitted in an exterior wall within 3'-0 of an interior lot line.
- F. The structure does not appear to comply with Table 505 for permissable height/area. Reply to the requested variance by this office cannot be considered until the necessary data pertaining to height/area and construction type is provided. See Table 401 and 505 and have your Architect/Engineer contact this department.
- G. The requested variance appears to conflict with Section(s) ______, of the Baltimore County Building Code.
- H. When filing for a required Change of Use/Occupancy Permit, an alteration permit application shall also be filed along with three sets of acceptable construction plans indicating how the existing structure is to be altered in order to comply with the Code requirements for the new use. Maryland Architectural or Engineer seals are usually required. The change of Use Groups are from Use to Use.

 See Section 312 of the Building Code.
- I. The proposed project appears to be located in a Flood Plain, Tidal/Riverins. Please see the attached copy of Section 516.0 of the Building Code as adopted by Bill #17-85. Site plans shall show the correct elevations above see level for the lot and the finish floor levels including basement.
- (J.) companies Construction shall comply with Code Memo #1 attached.
- K. These abbreviated comments reflect only on the information provided by the drawings submitted to the Office of Planning and Zoning and are not intended to be construed as the full extent of any permit. If desired the applicant may obtain additional information by visiting Rooms 122 of the County Office Building at 111

Marks & Sunhan BY: C. E. Burnham, Chief

BALTIMORE COUNTY BUILDING CODE

1984 BOCA, SECTION 110.6

CODE MEMORANDUM #1


Effective 4-22-85

SUBJECT:

A. Rear Porches

Rear open porches may be constructed of combustible materials up to 3 feet from a property line without any additional fire protection requirements.

Rear open porches may be constructed of combustible materials up to 4" from a property line if facing surfaces shown (see diagram) are protected by a layer of drywall, fire retardant treated plywood, or other approved firestopping material and any exposed supporting members within 3 feet are non-combustible, or pressure treated wood.



OVER

ITEM # 238 CASE NO. 86-378-A VICINITY MAP

- SUBJECT PROPERTY

The state of the s

Survey of property known as #9929 Maidbrook Road, also known as Lot#39 as shown on Amended Plat 2 "VILLAGE OF NEARBROOK" and recorded among the Land Records of Baltimore County in Plat Book E.H.K., JR. 44 Folio 89. PLAT FOR ZONING VARIANCE OWNERS - W. ANDREW & DENISE L. SIMANTEL DISTRICT - 11 ZONED DR3.5 EXISTING UTILITIES W MAIDBROOK ROAD N76.5810'E 11.FA ... 3.6.6.W..... 20.05 1718 - 25' Min. Setback 9127 LOT 66 LOT 65 LOT 64 10' DEMINAGE 4 FILL CHER'S

SCALE: 1"

CODE MEMORANDUM #1 (Cont'd.)

B. Front Porches

Front awnings and porches may be continuous across property lines and of combustible construction if:

- 1. They are properly fire stopped with non-combustible materials at each interior property line.
- 2. They have no combustible or untreated supporting members within 36" of the interior property line.
- 3. They are limited to one story in height.
- 4. The adjoining owners agree in writing.
- 5. The porch is open front and sides.

Drywall and sheet metal are examples of non-combustible materials which are acceptable for fire stopping.

C. All Porches


If any porch is to be closed, it shall be considered a habitable part of the dwelling's interior and shall be subjected to all of the applicable requirements that pertain to one and two family dwellings in the Baltimore County Building Code.

This does not in any way waive any requirements, such as setbacks of other County or State Departments, which may also be applicable.

ohn R. Reisip cr, P. E.


Buildings Ergineer

JRR:es



0

LAFR 8



IAIR & S

PAUL H. REINCKE CHIEF

January 10, 1986

Mr. Arnold Jablon Zoning Commissioner Office of Planning and Zoning Baltimore County Office Building Towson, Maryland 21204

Attention: Nick Commodari, Chairman Zoning Plans Advisory Committee

RE: Property Owner: W. Andrew Simantel, et ux

SS Maidbrook Road, 505' W of centerline of Northwind Road Location:

Item No.:

238

Zoning Agenda: Meeting of 12/31/85

Gentlemen:

Pursuant to your request, the referenced property has been surveyed by this Bureau and the comments below marked with an "X" are applicable and required to be corrected or incorporated into the final plans for the property.

- () 1. Fire hydrants for the referenced property are required and shall be located at intervals or _____fuet along an approved road in accordance with Baltimore County Standards as published by the Department of Public Works.
- () 2. A second means of vehicle access is required for the site.
- () 3. The vehicle dead end condition shown at ___

EXCEEDS the maximum allowed by the Fire Department.

- () 4. The site shall be made to comply with all applicable parts of the Fire Prevention Code prior to occupancy or beginning of operation.
- (X) 5. The buildings and structures existing or proposed on the site shall comply with all applicable requirements of the National Fire Protection Association Standard No. 101 "Life Safety Code", 1976 edition prior to occupancy.
 - () 6. Site plans are approved, as drawn.

7. The Fire Prevention Bureau has no comments, fig this time.

REVIEWER: Capt Quel Lel 1-10-56 Approved:

Special Inspection Division

. Fire Prevention Bureau

BALTIMORE COUNTY
DEPARTMENT OF PERMITS & LICENSES TOWSON, MARYLAND 21204 494-3610

February 7, 1986

TED ZALESKI, JR.

* Arnold Jablon, Zoning Commissioner Orrice of Planning and Zoning

Comments on Item # 238 Zoning Advisory Committee Meeting are as follows:

W. Andrew Simantel, et ux

S side of Maidbrook Read, 505' W of c/l of Northwind Road District:

All structures shall comform to the Baltimore County Building Code as adopted by Council Bill #17-85, the Maryland Code for the Handicapped and Aged (A.N.S.I. #117-1 - 1980) and other applicable Codes and Standards.

- B. A building and other miscellaneous permits shall be required before the start of any construction.
- C. Residentials Two sets of construction drawings are required to file a permit application. The seal of a registered in Maryland Architect or Engine or 1s/is not required on plans and technical data.
- Commercial: Three sets of construction drawings sealed and signed by a registered in Maryland Architect
 or Engineer shall be required to file with a permit application. Reproduced seals are not acceptable.
- E. All Use Groups except R-4 Singly Family Detached Dwellings require a minimum of 1 hour fire rating for exterior walls closer than 6'-1 to an interior lot line. R-4 Use Groups require a one hour wall if closer than 3'-0 to an interior lot line. Any wall built on an interior lot line shall require a fire or party wall. See Table 401, Section 1407, Section 1406.2 and Table 1402. No openings are permitted in an exterior wall within 3'-0 of an interior lot line.
- F. The structure does not appear to comply with Table 505 for permissable height/area. Reply to the requested variance by this office cannot be considered until the necessary data pertaining to height/area and construction type is provided. See Table 401 and 505 and have your Architect/Engineer contact this department.
- G. The requested variance appears to conflict with Section(s) ______, of the Baltimore County Building Code.
- H. When filing for a required Change of Use/Occupancy Permit, an alteration permit application shall also be filed along with three sets of acceptable construction plans indicating how the existing structure is to be altered in order to comply with the Code requirements for the new use. Maryland Architectural or Engineer seals are usually required. The change of Use Groups are from Use to Use.

 See Section 312 of the Building Code.
- I. The proposed project appears to be located in a Flood Plain, Tidal/Riverins. Please see the attached copy of Section 516.0 of the Building Code as adopted by Bill #17-85. Site plans shall show the correct elevations above see level for the lot and the finish floor levels including basement.
- (J.) companies Construction shall comply with Code Memo #1 attached.
- K. These abbreviated comments reflect only on the information provided by the drawings submitted to the Office of Planning and Zoning and are not intended to be construed as the full extent of any permit. If desired the applicant may obtain additional information by visiting Rooms 122 of the County Office Building at 111

Marks & Sunhan BY: C. E. Burnham, Chief

BALTIMORE COUNTY BUILDING CODE

1984 BOCA, SECTION 110.6

CODE MEMORANDUM #1


Effective 4-22-85

SUBJECT:

A. Rear Porches

Rear open porches may be constructed of combustible materials up to 3 feet from a property line without any additional fire protection requirements.

Rear open porches may be constructed of combustible materials up to 4" from a property line if facing surfaces shown (see diagram) are protected by a layer of drywall, fire retardant treated plywood, or other approved firestopping material and any exposed supporting members within 3 feet are non-combustible, or pressure treated wood.



OVER

ITEM # 238 CASE NO. 86-378-A VICINITY MAP

- SUBJECT PROPERTY

The state of the s

Survey of property known as #9929 Maidbrook Road, also known as Lot#39 as shown on Amended Plat 2 "VILLAGE OF NEARBROOK" and recorded among the Land Records of Baltimore County in Plat Book E.H.K., JR. 44 Folio 89. PLAT FOR ZONING VARIANCE OWNERS - W. ANDREW & DENISE L. SIMANTEL DISTRICT - 11 ZONED DR3.5 EXISTING UTILITIES W MAIDBROOK ROAD N76.5810'E 11.FA ... 3.6.6.W..... 20.05 1718 - 25' Min. Setback 9127 LOT 66 LOT 65 LOT 64 10' DEMINAGE 4 FILL CHER'S

SCALE: 1"

CODE MEMORANDUM #1 (Cont'd.)

B. Front Porches

Front awnings and porches may be continuous across property lines and of combustible construction if:

- 1. They are properly fire stopped with non-combustible materials at each interior property line.
- 2. They have no combustible or untreated supporting members within 36" of the interior property line.
- 3. They are limited to one story in height.
- 4. The adjoining owners agree in writing.
- 5. The porch is open front and sides.

Drywall and sheet metal are examples of non-combustible materials which are acceptable for fire stopping.

C. All Porches


If any porch is to be closed, it shall be considered a habitable part of the dwelling's interior and shall be subjected to all of the applicable requirements that pertain to one and two family dwellings in the Baltimore County Building Code.

This does not in any way waive any requirements, such as setbacks of other County or State Departments, which may also be applicable.

ohn R. Reisip cr, P. E.


Buildings Ergineer

JRR:es



0

LAFR 8



IAIR & S

PAUL H. REINCKE CHIEF

January 10, 1986

Mr. Arnold Jablon Zoning Commissioner Office of Planning and Zoning Baltimore County Office Building Towson, Maryland 21204

Attention: Nick Commodari, Chairman Zoning Plans Advisory Committee

RE: Property Owner: W. Andrew Simantel, et ux

SS Maidbrook Road, 505' W of centerline of Northwind Road Location:

Item No.:

238

Zoning Agenda: Meeting of 12/31/85

Gentlemen:

Pursuant to your request, the referenced property has been surveyed by this Bureau and the comments below marked with an "X" are applicable and required to be corrected or incorporated into the final plans for the property.

- () 1. Fire hydrants for the referenced property are required and shall be located at intervals or _____fuet along an approved road in accordance with Baltimore County Standards as published by the Department of Public Works.
- () 2. A second means of vehicle access is required for the site.
- () 3. The vehicle dead end condition shown at ___

EXCEEDS the maximum allowed by the Fire Department.

- () 4. The site shall be made to comply with all applicable parts of the Fire Prevention Code prior to occupancy or beginning of operation.
- (X) 5. The buildings and structures existing or proposed on the site shall comply with all applicable requirements of the National Fire Protection Association Standard No. 101 "Life Safety Code", 1976 edition prior to occupancy.
 - () 6. Site plans are approved, as drawn.

7. The Fire Prevention Bureau has no comments, fig this time.

REVIEWER: Capt Quel Lel 1-10-56 Approved:

Special Inspection Division

. Fire Prevention Bureau

BALTIMORE COUNTY
DEPARTMENT OF PERMITS & LICENSES TOWSON, MARYLAND 21204 494-3610

February 7, 1986

TED ZALESKI, JR.

* Arnold Jablon, Zoning Commissioner Orrice of Planning and Zoning

Comments on Item # 238 Zoning Advisory Committee Meeting are as follows:

W. Andrew Simantel, et ux

S side of Maidbrook Read, 505' W of c/l of Northwind Road District:

All structures shall comform to the Baltimore County Building Code as adopted by Council Bill #17-85, the Maryland Code for the Handicapped and Aged (A.N.S.I. #117-1 - 1980) and other applicable Codes and Standards.

- B. A building and other miscellaneous permits shall be required before the start of any construction.
- C. Residentials Two sets of construction drawings are required to file a permit application. The seal of a registered in Maryland Architect or Engine or 1s/is not required on plans and technical data.
- Commercial: Three sets of construction drawings sealed and signed by a registered in Maryland Architect
 or Engineer shall be required to file with a permit application. Reproduced seals are not acceptable.
- E. All Use Groups except R-4 Singly Family Detached Dwellings require a minimum of 1 hour fire rating for exterior walls closer than 6'-1 to an interior lot line. R-4 Use Groups require a one hour wall if closer than 3'-0 to an interior lot line. Any wall built on an interior lot line shall require a fire or party wall. See Table 401, Section 1407, Section 1406.2 and Table 1402. No openings are permitted in an exterior wall within 3'-0 of an interior lot line.
- F. The structure does not appear to comply with Table 505 for permissable height/area. Reply to the requested variance by this office cannot be considered until the necessary data pertaining to height/area and construction type is provided. See Table 401 and 505 and have your Architect/Engineer contact this department.
- G. The requested variance appears to conflict with Section(s) ______, of the Baltimore County Building Code.
- H. When filing for a required Change of Use/Occupancy Permit, an alteration permit application shall also be filed along with three sets of acceptable construction plans indicating how the existing structure is to be altered in order to comply with the Code requirements for the new use. Maryland Architectural or Engineer seals are usually required. The change of Use Groups are from Use to Use.

 See Section 312 of the Building Code.
- I. The proposed project appears to be located in a Flood Plain, Tidal/Riverins. Please see the attached copy of Section 516.0 of the Building Code as adopted by Bill #17-85. Site plans shall show the correct elevations above see level for the lot and the finish floor levels including basement.
- (J.) companies Construction shall comply with Code Memo #1 attached.
- K. These abbreviated comments reflect only on the information provided by the drawings submitted to the Office of Planning and Zoning and are not intended to be construed as the full extent of any permit. If desired the applicant may obtain additional information by visiting Rooms 122 of the County Office Building at 111

Marks & Sunhan BY: C. E. Burnham, Chief

BALTIMORE COUNTY BUILDING CODE

1984 BOCA, SECTION 110.6

CODE MEMORANDUM #1


Effective 4-22-85

SUBJECT:

A. Rear Porches

Rear open porches may be constructed of combustible materials up to 3 feet from a property line without any additional fire protection requirements.

Rear open porches may be constructed of combustible materials up to 4" from a property line if facing surfaces shown (see diagram) are protected by a layer of drywall, fire retardant treated plywood, or other approved firestopping material and any exposed supporting members within 3 feet are non-combustible, or pressure treated wood.



OVER

ITEM # 238 CASE NO. 86-378-A VICINITY MAP

- SUBJECT PROPERTY

The state of the s

Survey of property known as #9929 Maidbrook Road, also known as Lot#39 as shown on Amended Plat 2 "VILLAGE OF NEARBROOK" and recorded among the Land Records of Baltimore County in Plat Book E.H.K., JR. 44 Folio 89. PLAT FOR ZONING VARIANCE OWNERS - W. ANDREW & DENISE L. SIMANTEL DISTRICT - 11 ZONED DR3.5 EXISTING UTILITIES W MAIDBROOK ROAD N76.5810'E 11.FA ... 3.6.6.W..... 20.05 1718 - 25' Min. Setback 9127 LOT 66 LOT 65 LOT 64 10' DEMINAGE 4 FILL CHER'S

SCALE: 1"

CODE MEMORANDUM #1 (Cont'd.)

B. Front Porches

Front awnings and porches may be continuous across property lines and of combustible construction if:

- 1. They are properly fire stopped with non-combustible materials at each interior property line.
- 2. They have no combustible or untreated supporting members within 36" of the interior property line.
- 3. They are limited to one story in height.
- 4. The adjoining owners agree in writing.
- 5. The porch is open front and sides.

Drywall and sheet metal are examples of non-combustible materials which are acceptable for fire stopping.

C. All Porches

If any porch is to be closed, it shall be considered a habitable part of the dwelling's interior and shall be subjected to all of the applicable requirements that pertain to one and two family dwellings in the Baltimore County Building Code.

This does not in any way waive any requirements, such as setbacks of other County or State Departments, which may also be applicable.

ohn R. Reisip cr, P. E.

Buildings Ergineer

JRR:es